

Gildemeister
CTX beta 2000 -
VDI 50



High-tech from heimatec - heimatec - Tools and systems for productive turning and milling

heimatec belongs to the international technology and quality leaders for precision tools and specializes in the development and production of high-precision static and live tools for all CNC lathes, CNC turn-/mill machines and CNC machining centers.

The range of products* spans from static BMT and VDI tool holders, live tools up to highly complex customer-specific individual solutions. heimatec, headquartered in Renchen, has a own subsidiary in Asia and India and numerous representatives as well as trading partners all over the world.

*OUR PRODCUTS

Static tool holders

Live tool units

Precision tools

Tools for turning and machining centres

Tools for swiss type lathes

Tool changing and uick-change systems

Tool systems for gear production


Digital tool management

This catalogue, including all its parts, is protected by copyright. Any use outside the restricted limitations of the Copyright Act without the consent of heimatec is inadmissible and liable to prosecution. This applies in particular to duplication, translation, microfilming and storage and processing in electronic systems.

heimatec GmbH reserves the right to make technical changes at any time without giving prior notice. This applies in particular to adjustments at any time to meet new or changed international standards, or in case of further developments of our products or manufacturing processes.

The current version of our General Terms and Conditions can be found on our website.

Part-#	Name	
8 010 57 080	Axial drilling and milling head ER 40 AX UT	
	Weight [kg]:	5.120
	Tool drive:	DIN 5480
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	ER 40 A - u-tec
	Gear ratio [i]:	1:1
	Torque max [Nm]:	100
	Rotation max [1/min]:	4000
	Rotating direction:	same
	Coolant:	EXT
8 010 57 087	Axial drilling and milling head ER 40 AX UT IC	
	Weight [kg]:	5.240
	Tool drive:	DIN 5480
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	ER 40 A - u-tec
	Gear ratio [i]:	1:1
	Torque max [Nm]:	100
	Rotation max [1/min]:	4000
	Rotating direction:	same
	Coolant:	IC/Ext
	Pressure max [bar]:	25
8 030 56 037	Radial drilling and milling head ER 32	
	Weight [kg]:	8.100
	Version:	right
	Tool drive:	DIN 5480
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	ER 32
	Gear ratio [i]:	1:1
	Torque max [Nm]:	50
	Rotation max [1/min]:	4000
	Rotating direction:	opposite
	Coolant:	EXT
	Center distance [mm]:	120
8 030 57 089	Radial drilling and milling head ER 40 AX UT	
	Weight [kg]:	8.980
	Version:	right
	Tool drive:	DIN 5480
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	ER 40 u-tec
	Gear ratio [i]:	1:1
	Torque max [Nm]:	50
	Rotation max [1/min]:	4000
	Rotating direction:	opposite
	Coolant:	EXT
	Please note:	stronger bearing
	Center distance [mm]:	120

Part-#	Name	
8 030 57 090	Radial drilling and milling head ER 40 AX UT IC	
	Version:	right
	Tool drive:	DIN 5480
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	ER 40 A - u-tec
	Gear ratio [i]:	1:1
	Torque max [Nm]:	50
	Rotation max [1/min]:	6000
	Rotating direction:	opposite
	Coolant:	IC/Ext
	Pressure max [bar]:	140
	Please note:	stronger bearing
	Center distance [mm]:	120
8 040 55 006	Universal head ± 90° adjustable ER 25 AX	
	Version:	right
	Tool drive:	DIN 5480
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	ER 25 A
	Gear ratio [i]:	1:1
	Torque max [Nm]:	50
	Rotation max [1/min]:	4000
	Rotating direction:	same
	Coolant:	EXT
	Center distance [mm]:	123
8 040 57 002	Universal head ± 90° adjustable ER 40	
	Weight [kg]:	14.890
	Version:	right
	Tool drive:	DIN 5480
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	ER 40
	Gear ratio [i]:	1:1
	Torque max [Nm]:	50
	Rotation max [1/min]:	4000
	Rotating direction:	same
	Coolant:	EXT
	Center distance [mm]:	123
8 200 51 002	Tool holder A2-50x135	
	Weight [kg]:	9.200
	Shank size [mm]:	50.00
	Shank type:	VDI
8 200 51 003	Tool holder A2-50x220	
	Weight [kg]:	14.240
	Shank size [mm]:	50.00
	Shank type:	VDI
8 200 51 004	Tool holder A2-50x400	
	Weight [kg]:	24.700
	Shank size [mm]:	50.00
	Shank type:	VDI

Part-#	Name	
8 200 51 005	Plug Z2-50 S	
	Weight [kg]:	2.260
	Shank size [mm]:	50.00
	Shank type:	VDI
8 200 51 006	Plug Z2-50 K	
	Weight [kg]:	0.200
	Shank size [mm]:	50.00
	Shank type:	VDI
8 200 55 000	Tool holder A1-50x125	
	Weight [kg]:	19.800
	Shank size [mm]:	50.00
	Shank type:	VDI
8 208 59 002	Test mandrel VDI 50x40x200	
	Weight [kg]:	3.860
	Shank size [mm]:	50.00
	Shank type:	VDI
8 210 52 000	Tool holder F 50-MK 2	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	DIN 228 D - MK 2
	Coolant:	IC
8 210 53 000	Tool holder F 50-MK 3	
	Weight [kg]:	2.700
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	DIN 228 D - MK 3
	Coolant:	IC
8 210 53 001	Tool holder E2-50x 8	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Ø 8
	Coolant:	IC/Ext
8 210 54 000	Tool holder E1-50x10	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Ø 10
	Coolant:	IC
8 210 54 001	Tool holder E1-50x12	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Ø 12
	Coolant:	IC
8 210 54 002	Tool holder E2-50x12	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Ø 12
	Coolant:	IC/Ext

Part-#	Name	
8 210 54 003	Tool holder F 50-MK 4	
	Weight [kg]:	2.760
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	DIN 228 D - MK 4
	Coolant:	IC
8 210 54 004	Short drill chuck VDI 50x13	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Coolant:	EXT
8 210 54 005	Short drill chuck VDI 50x13 - IC	
	Weight [kg]:	2.920
	Shank size [mm]:	50.00
	Shank type:	VDI
	Coolant:	IC
8 210 54 006	Tool holder E2-50x10	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Ø 10
	Coolant:	IC/Ext
8 210 55 000	Tool holder E1-50x16	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Ø 16
	Coolant:	IC
8 210 55 001	Tool holder E2-50x16	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Ø 16
	Coolant:	IC/Ext
8 210 55 002	Tool holder F 50-MK 5	
	Weight [kg]:	8.320
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	DIN 228 D - MK 5
	Coolant:	IC
8 210 55 004	Short drill chuck VDI 50x16 - IC	
	Weight [kg]:	3.120
	Shank size [mm]:	50.00
	Shank type:	VDI
	Coolant:	IC
8 210 56 000	Tool holder E1-50x20	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Ø 20
	Coolant:	IC

Part-#	Name	
8 210 56 001	Tool holder E2-50x20	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Ø 20
	Coolant:	IC/Ext
8 210 57 000	Tool holder E2-50x25	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Ø 25
	Coolant:	IC/Ext
8 210 57 001	Tool holder E1-50x25	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Ø 25
	Coolant:	IC
8 210 57 002	Tool holder E3-50x C 25	
	Weight [kg]:	3.180
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	DIN 6388 - C 25
	Coolant:	IC
8 210 57 003	Tool holder E4-50xER 40	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	ER 40
	Coolant:	IC
8 210 58 000	Tool holder E1-50x32	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Ø 32
	Coolant:	IC
8 210 58 001	Tool holder E2-50x32	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Ø 32
	Coolant:	IC/Ext
8 210 58 002	Tool holder E3-50x C 32	
	Weight [kg]:	3.620
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	DIN 6388 - C 32
	Coolant:	IC
8 210 59 001	Tool holder E2-50x50	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Ø 50
	Coolant:	IC/Ext

Part-#	Name	
8 210 59 002	Tool holder E1-50x40	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Ø 40
	Coolant:	IC
8 210 59 003	Tool holder E1-50x50	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Ø 50
	Coolant:	IC
8 210 59 004	Tool holder E2-50x40	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Ø 40
	Coolant:	IC/Ext
8 210 59 005	Tool holder E1-50x44 - special	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Ø 44
	Coolant:	IC
	Please note:	Special version
8 210 59 006	Tool holder E1-50x63 - special	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Ø 63
	Coolant:	IC
	Please note:	Special version
8 214 54 000	Tool holder C1-50x32	
	Weight [kg]:	5.660
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Sq. 32/25
	Coolant:	EXT
8 214 54 001	Tool holder C3-50x32	
	Weight [kg]:	6.080
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Sq. 32/25
	Coolant:	EXT
8 234 54 000	Tool holder B1-50x32x55	
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Sq. 32/25
	Coolant:	EXT

Part-#	Name	
8 234 54 001	Tool holder B3-50x32x55	
	Weight [kg]:	4.420
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Sq. 32/25
	Coolant:	EXT
8 234 54 002	Tool holder B5-50x32x55	
	Weight [kg]:	5.220
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Sq. 32/25
	Coolant:	EXT
8 234 54 003	Tool holder B7-50x32x55	
	Weight [kg]:	5.640
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Sq. 32/25
	Coolant:	EXT
8 240 39 011	Boring bar holder Ø 50	
	Weight [kg]:	4.180
	Shank type:	BMT
	Machine adaption:	Centering key slot b 32
	Tool adaption:	Ø 50
	Coolant:	IC/Ext
	Center distance [mm]:	35
8 240 39 013	Boring bar holder Ø 40	
	Weight [kg]:	4.800
	Shank type:	BMT
	Machine adaption:	Centering key slot b 32
	Tool adaption:	Ø 40
	Coolant:	IC/Ext
	Center distance [mm]:	35
8 320 53 004	Cut-off holder, height adjustable SH 32 IC	
	Version:	universal
	Shank size [mm]:	50.00
	Shank type:	VDI
	Tool adaption:	Clampshaft SH 32
	Coolant:	IC/Ext
	Pressure max [bar]:	70



heimatec.u-tec®

heimatec.com

Products / Tool change systems /
u-tec® Tool-changing system



versions see catalog



heimatec.easy-quick

heimatec.com

Products / Tool change systems /
easy-quick HT quick-changing system



versions see catalog



heimatec.Capto™

heimatec.com

Products / Tool change systems /
heimatec.Capto™ quick-changing system



versions see catalog



heimatec.accessories

heimatec.com

Products / Accessories



versions see catalog





● heimatec overseas branches

○ global representations of heimatec

heimatec[®]

heimatec GmbH
Präzisionswerkzeuge
Carl-Benz-Str. 4
77871 Renchen
Germany

T +49 7843 9466 0
www.heimatec.com
info@heimatec.com

Please find the contact details of our worldwide trading partners on our website:
<https://heimatec.com/business-partners>