

SPINNER  
**PD CNC - VDI 16  
- Zahnrad**



# High-tech from heimatec - heimatec - Tools and systems for productive turning and milling

heimatec belongs to the international technology and quality leaders for precision tools and specializes in the development and production of high-precision static and live tools for all CNC lathes, CNC turn-/mill machines and CNC machining centers.

The range of products\* spans from static BMT and VDI tool holders, live tools up to highly complex customer-specific individual solutions. heimatec, headquartered in Renchen, has a own subsidiary in Asia and India and numerous representatives as well as trading partners all over the world.

## \*OUR PRODCUTS

Static tool holders

Live tool units

Precision tools

Tools for turning and machining centres

Tools for swiss type lathes

Tool changing and uick-change systems

Tool systems for gear production

Digital tool management




This catalogue, including all its parts, is protected by copyright. Any use outside the restricted limitations of the Copyright Act without the consent of heimatec is inadmissible and liable to prosecution. This applies in particular to duplication, translation, microfilming and storage and processing in electronic systems.


**heimatec GmbH** reserves the right to make technical changes at any time without giving prior notice. This applies in particular to adjustments at any time to meet new or changed international standards, or in case of further developments of our products or manufacturing processes.

The current version of our General Terms and Conditions can be found on our website.

# SPINNER

## PD CNC - VDI 16 - Zahnrad

Part-#	Name	
<b>8 010 03 000</b>	<b>Axial drilling and milling head ER 11</b>	
	Weight [kg]:	0.700
	Tool drive:	Gear
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	ER 11
	Gear ratio [i]:	1:1
	Torque max [Nm]:	6,3
	Rotation max [1/min]:	6000
	Rotating direction:	same
	Coolant:	EXT
<b>8 010 04 000</b>	<b>Axial drilling and milling head ER 16</b>	
	Weight [kg]:	0.690
	Tool drive:	Gear
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	ER 16
	Gear ratio [i]:	1:1
	Torque max [Nm]:	6,3
	Rotation max [1/min]:	6000
	Rotating direction:	same
	Coolant:	EXT
<b>8 011 03 000</b>	<b>Axial milling head arbor 13</b>	
	Tool drive:	Gear
	Shank type:	VDI
	Tool adaption:	Arbor 13
	Gear ratio [i]:	1:1
	Torque max [Nm]:	6,3
	Rotation max [1/min]:	6000
	Rotating direction:	same
	Coolant:	EXT
<b>8 019 03 000</b>	<b>Axial drilling and milling head ER 11</b>	
	Weight [kg]:	1.110
	Notation:	offset
	Version:	right
	Tool drive:	Gear
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	ER 11
	Gear ratio [i]:	1:2
	Torque max [Nm]:	3
	Rotation max [1/min]:	12000
	Rotating direction:	opposite
	Coolant:	EXT
	Please note:	stronger bearing
	Offset [mm]:	20
<b>8 030 03 000</b>	<b>Radial drilling and milling head ER 11</b>	
	Weight [kg]:	0.960
	Tool drive:	Gear
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	ER 11
	Gear ratio [i]:	1:1

Part-#	Name	
	Torque max [Nm]:	6,3
	Rotation max [1/min]:	8000
	Rotating direction:	opposite
	Coolant:	EXT
	Center distance [mm]:	39
<b>8 030 04 000</b>	<b>Radial drilling and milling head ER 16</b>	
	Weight [kg]:	0.700
	Tool drive:	Gear
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	ER 16
	Gear ratio [i]:	1:1
	Torque max [Nm]:	6,3
	Rotation max [1/min]:	8000
	Rotating direction:	opposite
	Coolant:	EXT
	Center distance [mm]:	39
<b>8 033 03 001</b>	<b>Radial drilling and milling head ER 11</b>	
	Weight [kg]:	1.220
	Notation:	offset
	Version:	right
	Tool drive:	Gear
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	ER 11
	Gear ratio [i]:	1:1
	Torque max [Nm]:	6,3
	Rotation max [1/min]:	8000
	Rotating direction:	same
	Coolant:	EXT
	Center distance [mm]:	50
<b>8 033 03 002</b>	<b>Radial drilling and milling head ER 11</b>	
	Weight [kg]:	1.300
	Notation:	offset
	Version:	right
	Tool drive:	Gear
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	ER 11
	Gear ratio [i]:	1:1,556
	Torque max [Nm]:	4
	Rotation max [1/min]:	12000
	Rotating direction:	same
	Coolant:	EXT
	Center distance [mm]:	50
<b>8 033 04 001</b>	<b>Radial drilling and milling head ER 16</b>	
	Weight [kg]:	1.240
	Notation:	offset
	Version:	right
	Tool drive:	Gear
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	ER 16

Part-#	Name	
	Gear ratio [i]:	1:1
	Torque max [Nm]:	6,3
	Rotation max [1/min]:	8000
	Rotating direction:	same
	Coolant:	EXT
	Center distance [mm]:	50
<b>8 033 04 005</b>	<b>Radial drilling and milling head ER 16 IC</b>	
	Notation:	offset
	Version:	right
	Tool drive:	Gear
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	ER 16
	Gear ratio [i]:	1:1
	Torque max [Nm]:	6,3
	Rotation max [1/min]:	8000
	Rotating direction:	same
	Coolant:	IC/Ext
	Pressure max [bar]:	25
	Center distance [mm]:	50
<b>8 040 03 000</b>	<b>Universal head ± 90° adjustable ER 11 AX</b>	
	Weight [kg]:	2.020
	Version:	right
	Tool drive:	Gear
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	ER 11 A
	Gear ratio [i]:	1:1
	Torque max [Nm]:	6,3
	Rotation max [1/min]:	6300
	Rotating direction:	same
	Coolant:	EXT
	Center distance [mm]:	74
<b>8 040 04 000</b>	<b>Universal head ± 90° adjustable ER 16</b>	
	Weight [kg]:	2.040
	Version:	right
	Tool drive:	Gear
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	ER 16
	Gear ratio [i]:	1:1
	Torque max [Nm]:	6,3
	Rotation max [1/min]:	6300
	Rotating direction:	same
	Coolant:	EXT
	Center distance [mm]:	74
<b>8 200 00 000</b>	<b>Tool holder A2-16x 60</b>	
	Weight [kg]:	0.640
	Shank size [mm]:	16.00
	Shank type:	VDI

Part-#	Name	
<b>8 200 01 000</b>	<b>Tool holder A1-16x 44</b>	
	Weight [kg]:	1.280
	Shank size [mm]:	16.00
	Shank type:	VDI
<b>8 200 01 001</b>	<b>Plug Z2-16 K</b>	
	Weight [kg]:	0.014
	Shank size [mm]:	16.00
	Shank type:	VDI
<b>8 200 01 002</b>	<b>Plug Z2-16 S</b>	
	Shank size [mm]:	16.00
	Shank type:	VDI
<b>8 210 02 000</b>	<b>Tool holder E2-16x 6</b>	
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	Ø 6
	Coolant:	IC/Ext
<b>8 210 03 000</b>	<b>Tool holder E2-16x 8</b>	
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	Ø 8
	Coolant:	IC/Ext
<b>8 210 03 001</b>	<b>Short drill chuck VDI 16x 8</b>	
	Weight [kg]:	0.580
	Shank size [mm]:	16.00
	Shank type:	VDI
	Coolant:	EXT
<b>8 210 03 002</b>	<b>Short drill chuck VDI 16x 8 - IC</b>	
	Weight [kg]:	0.580
	Shank size [mm]:	16.00
	Shank type:	VDI
	Coolant:	IC
<b>8 210 03 003</b>	<b>Tool holder E4-16xER 11</b>	
	Weight [kg]:	0.200
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	ER 11
	Coolant:	IC
<b>8 210 04 000</b>	<b>Tool holder E2-16x12</b>	
	Weight [kg]:	0.400
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	Ø 12
	Coolant:	IC/Ext
<b>8 210 04 001</b>	<b>Tool holder E4-16xER 20</b>	
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	ER 20
	Coolant:	IC

## SPINNER

## PD CNC - VDI 16 - Zahnrad

Part-#	Name	
<b>8 210 04 003</b>	<b>Tool holder E2-16x10</b>	
	Weight [kg]:	0.340
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	Ø 10
	Coolant:	IC/Ext
<b>8 210 04 004</b>	<b>Tool holder E4-16xER 16</b>	
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	ER 16
	Coolant:	IC
<b>8 210 04 005</b>	<b>Tool holder E2-16x14</b>	
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	Ø 14
	Coolant:	IC/Ext
<b>8 210 05 000</b>	<b>Tool holder E2-16x16</b>	
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	Ø 16
	Coolant:	IC/Ext
<b>8 210 05 001</b>	<b>Tool holder E3-16x C 16</b>	
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	DIN 6388 - C 16
	Coolant:	IC
<b>8 210 06 000</b>	<b>Tool holder E2-16x20</b>	
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	Ø 20
	Coolant:	IC/Ext
<b>8 214 01 000</b>	<b>Tool holder C3-16x12</b>	
	Weight [kg]:	0.440
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	Sq. 12
	Coolant:	EXT
<b>8 214 01 001</b>	<b>Tool holder C1-16x12</b>	
	Weight [kg]:	0.500
	Employment for:	VDI 16
	Version:	right
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	Sq. 12
	Coolant:	EXT

## SPINNER


## PD CNC - VDI 16 - Zahnrad

Part-#	Name	
<b>8 234 01 000</b>	<b>Tool holder B1-16x12x24</b>	
	Employment for:	VDI 16
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	Sq. 12/8
	Coolant:	EXT
<b>8 234 01 001</b>	<b>Tool holder B3-16x12x24</b>	
	Weight [kg]:	0.300
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	Sq. 12
	Coolant:	EXT
<b>8 234 01 002</b>	<b>Tool holder B7-16x12x24</b>	
	Weight [kg]:	0.420
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	Sq. 12
	Coolant:	EXT
<b>8 234 01 003</b>	<b>Tool holder B5-16x12x24</b>	
	Weight [kg]:	0.400
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	Sq. 12
	Coolant:	EXT
<b>8 234 01 004</b>	<b>Tool holder B3-16x12x34</b>	
	Weight [kg]:	0.400
	Employment for:	VDI 16
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	Sq. 12/8
	Coolant:	EXT
<b>8 234 01 005</b>	<b>Tool holder B1-16x12x34</b>	
	Weight [kg]:	0.380
	Employment for:	VDI 16
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	Sq. 12/8
	Coolant:	EXT
<b>8 234 01 006</b>	<b>Tool holder B5-16x12x34</b>	
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	Sq. 12
	Coolant:	EXT
<b>8 234 01 007</b>	<b>Tool holder B7-16x12x34</b>	
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	Sq. 12
	Coolant:	EXT

# SPINNER

## PD CNC - VDI 16 - Zahnrad

Part-#	Name	
<b>8 262 07 000</b>	<b>Stock stop VDI 16 - Ø 28</b>	
	Notation:	rotating
	Shank size [mm]:	16.00
	Shank type:	VDI
	Please note:	Lenght adjustable 50-70mm
<b>8 262 08 000</b>	<b>Stock stop VDI 16 - Ø 35</b>	
	Weight [kg]:	0.320
	Notation:	rotating
	Shank size [mm]:	16.00
	Shank type:	VDI
	Please note:	Lenght adjustable 50-70mm
<b>8 262 09 000</b>	<b>Stock stop VDI 16 - Ø 45</b>	
	Notation:	rotating
	Shank size [mm]:	16.00
	Shank type:	VDI
	Please note:	Lenght adjustable 50-70mm
<b>8 267 09 000</b>	<b>Bar pick-up VDI 16 offset</b>	
	Weight [kg]:	0.480
	Version:	right
	Shank size [mm]:	16.00
	Shank type:	VDI
	Please note:	Chuck jaws 18-36 mm special accessories
<b>8 320 01 004</b>	<b>Cut-off holder, height adjustable SH 19</b>	
	Weight [kg]:	0.560
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	Clampshaft SH 19
	Coolant:	EXT
<b>8 320 01 005</b>	<b>Tool holder height adjustable sq. 12</b>	
	Version:	right
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	Sq. 12
	Coolant:	EXT
<b>8 320 01 006</b>	<b>Tool holder height adjustable sq. 12 ÜK</b>	
	Version:	right
	Shank size [mm]:	16.00
	Shank type:	VDI
	Tool adaption:	Sq. 12
	Coolant:	EXT



## heimatec.u-tec®

heimatec.com

Products / Tool change systems /  
u-tec® Tool-changing system



versions see catalog



## heimatec.easy-quick

heimatec.com

Products / Tool change systems /  
easy-quick HT quick-changing system



versions see catalog



## heimatec.Capto™

heimatec.com

Products / Tool change systems /  
heimatec.Capto™ quick-changing system



versions see catalog



## heimatec.accessories

heimatec.com

Products / Accessories



versions see catalog





● heimatec overseas branches

○ global representations of heimatec

**heimatec**<sup>®</sup>

**heimatec GmbH**  
Präzisionswerkzeuge  
Carl-Benz-Str. 4  
77871 Renchen  
Germany

T +49 7843 9466 0  
[www.heimatec.com](http://www.heimatec.com)  
[info@heimatec.com](mailto:info@heimatec.com)

Please find the contact details of our worldwide trading partners on our website:  
<https://heimatec.com/business-partners>