

SPINNER

**PD CNC - VDI 20  
- TOEM 120**



# High-tech from heimatec - heimatec - Tools and systems for productive turning and milling

heimatec belongs to the international technology and quality leaders for precision tools and specializes in the development and production of high-precision static and live tools for all CNC lathes, CNC turn-/mill machines and CNC machining centers.

The range of products\* spans from static BMT and VDI tool holders, live tools up to highly complex customer-specific individual solutions. heimatec, headquartered in Renchen, has a own subsidiary in Asia and India and numerous representatives as well as trading partners all over the world.

## \*OUR PRODCUTS

Static tool holders

Live tool units

Precision tools

Tools for turning and machining centres

Tools for swiss type lathes

Tool changing and uick-change systems

Tool systems for gear production

Digital tool management

This catalogue, including all its parts, is protected by copyright. Any use outside the restricted limitations of the Copyright Act without the consent of heimatec is inadmissible and liable to prosecution. This applies in particular to duplication, translation, microfilming and storage and processing in electronic systems.

**heimatec GmbH** reserves the right to make technical changes at any time without giving prior notice. This applies in particular to adjustments at any time to meet new or changed international standards, or in case of further developments of our products or manufacturing processes.

The current version of our General Terms and Conditions can be found on our website.

# SPINNER

## PD CNC - VDI 20 - TOEM 120

Part-#	Name	
<b>8 010 14 028</b>	<b>Axial drilling and milling head ER 20</b>	
	Weight [kg]:	0.970
	Tool drive:	Coupling
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	ER 20
	Gear ratio [i]:	1:1
	Torque max [Nm]:	10
	Rotation max [1/min]:	6000
	Rotating direction:	same
	Coolant:	EXT
<b>8 030 14 048</b>	<b>Radial drilling and milling head ER 20</b>	
	Weight [kg]:	1.870
	Version:	right
	Tool drive:	Coupling
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	ER 20
	Gear ratio [i]:	1:1
	Torque max [Nm]:	10
	Rotation max [1/min]:	6000
	Rotating direction:	opposite
	Coolant:	EXT
	Center distance [mm]:	70
<b>8 200 10 000</b>	<b>Tool holder A2-20x 70</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
<b>8 200 11 000</b>	<b>Plug Z2-20 S</b>	
	Weight [kg]:	0.380
	Shank size [mm]:	20.00
	Shank type:	VDI
<b>8 200 11 001</b>	<b>Plug Z2-20 K</b>	
	Weight [kg]:	0.030
	Shank size [mm]:	20.00
	Shank type:	VDI
<b>8 200 12 000</b>	<b>Tool holder A1-20x 65</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
<b>8 208 19 000</b>	<b>Set up holder 20x40x100</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
<b>8 210 11 000</b>	<b>Tool holder F 20-MK 1</b>	
	Weight [kg]:	0.720
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	DIN 228 D - MK 1
	Coolant:	IC

## SPINNER

## PD CNC - VDI 20 - TOEM 120

Part-#	Name	
<b>8 210 12 001</b>	<b>Tool holder E2-20x 6</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Ø 6
	Coolant:	IC/Ext
<b>8 210 12 002</b>	<b>Tool holder F 20-MK 2</b>	
	Weight [kg]:	0.720
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	DIN 228 D - MK 2
	Coolant:	IC
<b>8 210 13 001</b>	<b>Tool holder E2-20x 8</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Ø 8
	Coolant:	IC/Ext
<b>8 210 13 002</b>	<b>Short drill chuck VDI 20x 8</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Coolant:	EXT
<b>8 210 13 003</b>	<b>Short drill chuck VDI 20x 8 - IC</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Coolant:	IC
<b>8 210 13 005</b>	<b>Tool holder E4-20xER 11</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	ER 11
	Coolant:	IC
<b>8 210 14 000</b>	<b>Short drill chuck VDI 20x13 - IC</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Coolant:	IC
<b>8 210 14 001</b>	<b>Tool holder E4-20xER 16</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	ER 16
	Coolant:	IC
<b>8 210 14 005</b>	<b>Tool holder E2-20x10</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Ø 10
	Coolant:	IC/Ext
<b>8 210 14 007</b>	<b>Tool holder E1-20x10</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Ø 10
	Coolant:	IC

# SPINNER

## PD CNC - VDI 20 - TOEM 120

Part-#	Name	
<b>8 210 14 008</b>	<b>Tool holder E1-20x12</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Ø 12
	Coolant:	IC
<b>8 210 14 009</b>	<b>Short drill chuck VDI 20x13</b>	
	Weight [kg]:	1.520
	Shank size [mm]:	20.00
	Shank type:	VDI
	Coolant:	EXT
<b>8 210 14 011</b>	<b>Tool holder E1-20x14</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Ø 14
	Coolant:	IC
<b>8 210 14 012</b>	<b>Tool holder E2-20x14</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Ø 14
	Coolant:	IC/Ext
<b>8 210 15 000</b>	<b>Tool holder E2-20x16</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Ø 16
	Coolant:	IC/Ext
<b>8 210 15 001</b>	<b>Tool holder E4-20xER 25</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	ER 25
	Coolant:	IC
<b>8 210 15 002</b>	<b>Tool holder E1-20x16</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Ø 16
	Coolant:	IC
<b>8 210 15 005</b>	<b>Tool holder E3-20x C 16</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	DIN 6388 - C 16
	Coolant:	IC
<b>8 210 15 007</b>	<b>Tool holder E2-20x18</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Ø 18
	Coolant:	IC/Ext

Part-#	Name	
<b>8 210 15 008</b>	<b>Tool holder HT 3 IC</b>	
	Weight [kg]:	0.590
	Version:	right
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	HT 3
	Coolant:	IC/Ext
<b>8 210 16 000</b>	<b>Tool holder E2-20x20</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Ø 20
	Coolant:	IC/Ext
<b>8 210 16 001</b>	<b>Tool holder E1-20x20</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Ø 20
	Coolant:	IC
<b>8 210 16 003</b>	<b>Tool holder E3-20x C 20</b>	
	Weight [kg]:	0.680
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	DIN 6388 - C 20
	Coolant:	IC
<b>8 210 16 004</b>	<b>Tool holder E4-20xER 32</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	ER 32
	Coolant:	IC
<b>8 210 17 000</b>	<b>Tool holder E1-20x25</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Ø 25
	Coolant:	IC
<b>8 210 17 002</b>	<b>Tool holder E2-20x25</b>	
	Weight [kg]:	0.740
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Ø 25
	Coolant:	IC/Ext
<b>8 214 11 000</b>	<b>Tool holder C1-20x16/55</b>	
	Weight [kg]:	0.900
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Sq. 16/12
	Coolant:	EXT

# SPINNER

## PD CNC - VDI 20 - TOEM 120


Part-#	Name	
<b>8 214 11 001</b>	<b>Tool holder C1-20x16/50</b>	
	Weight [kg]:	1.140
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Sq. 16/12
	Coolant:	EXT
<b>8 214 11 002</b>	<b>Tool holder C3-20x16/55</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Sq. 16/12
	Coolant:	EXT
<b>8 214 11 003</b>	<b>Tool holder C3-20x16/50</b>	
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Sq. 16/12
	Coolant:	EXT
<b>8 234 11 000</b>	<b>Tool holder B1-20x16x30</b>	
	Weight [kg]:	0.560
	Employment for:	VDI 20
	Version:	right
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Sq. 16/12
	Coolant:	EXT
<b>8 234 11 001</b>	<b>Tool holder B3-20x16x30</b>	
	Weight [kg]:	0.570
	Employment for:	VDI 20
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Sq. 16/12
	Coolant:	EXT
<b>8 234 11 002</b>	<b>Tool holder B3-20x16x40</b>	
	Weight [kg]:	0.760
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Sq. 16/12
	Coolant:	EXT
<b>8 234 11 005</b>	<b>Tool holder B1-20x16x40</b>	
	Weight [kg]:	0.740
	Shank size [mm]:	20.00
	Shank type:	VDI
	Tool adaption:	Sq. 16/12
	Coolant:	EXT
<b>8 262 17 000</b>	<b>Stock stop VDI 20 - Ø 28</b>	
	Weight [kg]:	0.340
	Notation:	rotating
	Shank size [mm]:	20.00
	Shank type:	VDI
	Please note:	Lenght adjustable 50-70mm


# SPINNER

## PD CNC - VDI 20 - TOEM 120



Part-#	Name	
<b>8 262 18 000</b>	<b>Stock stop VDI 20 - Ø 35</b>	
	Notation:	rotating
	Shank size [mm]:	20.00
	Shank type:	VDI
	Please note:	Lenght adjustable 50-70mm
<b>8 262 19 000</b>	<b>Stock stop VDI 20 - Ø 45</b>	
	Weight [kg]:	0.530
	Notation:	rotating
	Shank size [mm]:	20.00
	Shank type:	VDI
	Please note:	Lenght adjustable 50-70mm





## heimatec.u-tec®

heimatec.com

Products / Tool change systems /  
u-tec® Tool-changing system



versions see catalog



## heimatec.easy-quick

heimatec.com

Products / Tool change systems /  
easy-quick HT quick-changing system



versions see catalog



## heimatec.Capto™

heimatec.com

Products / Tool change systems /  
heimatec.Capto™ quick-changing system



versions see catalog



## heimatec.accessories

heimatec.com

Products / Accessories



versions see catalog





● heimatec overseas branches

○ global representations of heimatec

**heimatec**<sup>®</sup>

**heimatec GmbH**  
Präzisionswerkzeuge  
Carl-Benz-Str. 4  
77871 Renchen  
Germany

T +49 7843 9466 0  
[www.heimatec.com](http://www.heimatec.com)  
[info@heimatec.com](mailto:info@heimatec.com)

Please find the contact details of our worldwide trading partners on our website:  
<https://heimatec.com/business-partners>