TOOL CATALOGUE

heimatec®

Muratec

MD 60

10/2026

High-tech from heimatec -
heimatec - Tools and systems for productive turning and milling

heimatec belongs to the international technology and quality leaders for precision tools and specializes in the development and production of high-precision static and live tools for all CNC lathes, CNC turn-/mill machines and CNC machining centers.

The range of products* spans from static BMT and VDI tool holders, live tools up to highly complex customer-specific individual solutions. heimatec, headquartered in Renchen, has a own subsiiary in Asia and India and numerous representatives as well as trading partners all over the world.

*OUR PRODCUTS

Static tool holders
Live tool units
Precision tools
Tools for turning and machining centres
Tools for swiss type lathes
Tool changing and uick-change systems
Tool systems for gear production
Digital tool management

This catalogue, including all its parts, is protected by copyright. Any use outside the restricted limitations of the Copyright Act without the consent of heimatec is inadmissible and liable to prosecution. This applies in particular to duplication, translation, microfilming and storage and processing in electronic systems.

heimatec GmbH reserves the right to make technical changes at any time without giving prior notice. This applies in particular to adjustments at any time to meet new or changed international standards, or in case of further developments of our products or manufacturing processes.

The current version of our General Terms and Conditions can be found on our website.

10/2026

Muratec

MD 60

Part-#	Name	
8 202 40 011	**Basic holder longitudinal seat FN 12**	
	Weight [kg]:	2.050
	Shank size [mm]:	40.00
	Shank type:	BMT
	Tool adaption:	Interface FN 12
	Coolant:	EXT
	Center distance [mm]:	40
8 214 44 006	**Universal turning holder sq. 20**	
	Notation:	180° reversible
	Shank size [mm]:	40.00
	Shank type:	BMT
	Tool adaption:	Sq. 20
	Coolant:	EXT
	Pressure max [bar]:	140
8 239 48 022	**Double boring bar holder Ø 32**	
	Shank size [mm]:	40.00
	Shank type:	BMT
	Tool adaption:	Ø 32
	Coolant:	IC/Ext
	Pressure max [bar]:	140
	Center distance [mm]:	95
8 251 44 002	**Combi double turning holder sq. 20**	
	Weight [kg]:	5.890
	Employment for:	Main- and sub spindle
	Shank size [mm]:	40.00
	Shank type:	BMT
	Tool adaption:	Sq. 20
		Sq. 20
		Sq. 20
		Sq. 20
	Coolant:	EXT
8 259 41 000	**Multiple turning holder sq. 20/ 3/4"**	
	Notation:	180° reversible
	Version:	Y-axes offset
	Shank size [mm]:	40.00
	Shank type:	BMT
	Tool adaption:	Sq. 20/ 3/4" (19,05)
		Sq. 20/ 3/4" (19,05)
	Coolant:	EXT
	Pressure max [bar]:	140
8 320 43 012	**Cut-off holder, height adjustable SH 32 IC**	
	Weight [kg]:	2.670
	Shank size [mm]:	40.00
	Shank type:	BMT
	Tool adaption:	Clampshaft SH 32
	Coolant:	IC/Ext
	Pressure max [bar]:	70

© heimatec GmbH • Subject to technical changes.
heimatec GmbH
Präzisionswerkzeuge
Carl-Benz-Str. 4
DE-77871 Renchen

T +49 7843 9466 0
info@heimatec.com
www.heimatec.com

● heimatec overseas branches

○ global representations of heimatec

heimatec GmbH
Präzisionswerkzeuge
Carl-Benz-Str. 4
77871 Renchen
Germany

T +49 7843 9466 0
www.heimatec.com
info@heimatec.com

Please find the contact details of our worldwide trading partners on our website:
https://heimatec.com/business-partners

10/2026